USER MANUAL

SAFERA Smart R Stove Guard

SAFERA
SAFETY WITH STYLE

SAFERA SMART R STOVE GUARD

User Manual

Congratulations for buying the SAFERA Smart R Stove Guard. This guide describes the use and maintenance of the product. Please read these instructions carefully before installing and using the system and keep them throughout the product life cycle.

SAFERA Stove Guard strives to react to hazardous situations as early as possible. SAFERA can distinguish between normal cooking and hazardous situations. Therefore it does not interfere with normal cooking but reacts quickly if there is a threat of danger. For example, SAFERA ignores steam from cooking.

Safe and enjoyable cooking!

1.1 Manufacturer

The product is designed and manufactured by SAFERA Oy, a Finnish expert on home fire safety.

SAFERA
SAFETY WITH STYLE

SAFERA Oy
Muuntotie 1
01510 Vantaa
Finland

Product support
info@safera.com

Contents

1. Warnings
2. Stove Guard Description
3. Using the Stove Guard
4. Maintenace
5. Troubleshooting
6. Specifications
7. Warranty

1. WARNINGS

Follow these instructions carefully and pay particular attention to the instructions marked in the following way:

⚠ WARNING

Follow instructions marked with a warning accurately to prevent injury to persons and damage to property.

⚐ ATTENTION

Follow instructions marked with a note carefully to prevent damage to property.

HINT

as give you useful hints on using the appliance.

1.1 Important Use and Service Information

The Stove Guard must be used for its intended purpose only, as described in chapter 2.1. SAFERA Oy is not liable for any damages caused by inappropriate use or installation of the appliance.

Only authorised SAFERA service personnel are allowed to service the safety system. Use only original SAFERA parts.

1.1.1 Safe Cooker Use

Cooking fires are the number one cause of home fires and home fire injuries. Cooking fires are mainly the result of wrong or negligent cooker use, such as leaving the cooker on accidentally after use.

SAFERA Stove Guard is designed to prevent injury to persons and damage to property caused by cooking fires.

⚠ WARNING

Always use the cooker safely and responsibly, even when protected by the Stove Guard.

The Stove Guard does not replace statutory home fire alarms. Ensure that fire safety at your home follows the local regulations.

Electrical installations can only be carried out by a qualified electrician in accordance with the valid regulations.

2. STOVE GUARD DESCRIPTION

2.1 Purpose of Use

SAFERA Stove Guard is designed to improve the safety of the cookers meant for household use (see compatibility in the Installation manual). It is highly effective against cooking fires.

Be always careful when using the cooker. Keep children away from the cooker.

Please note that the appliance is designed to prevent cooking fires. In case of a fire, you must follow appropriate procedures to prevent further damage. If necessary, call Emergency Services, explain the situation calmly and follow the instructions given to you.

⚠ WARNING

Flame cooking is prohibited under the cooker hood.

SAFERA Stove Guard is meant for household use only. The appliance must not be used in professional kitchens or with cookers and hobs meant for professional use.

2.2 Conformity

SAFERA's CE marking ensures that SAFERA Smart R conforms to the required EU requirements and standards. See the separate declaration of conformity.

2.3 Appliance Description

SAFERA Smart R Stove Guard can be mounted on the upper cabinet above the cooker. See figure below.

Ⓐ Central Unit
Ⓑ Control panel: operating buttons and indicator lights
Ⓒ Power control unit controls the power supply to the cooker in hazardous situations
Ⓓ Power supply for the central unit Ⓐ

The central unit Ⓐ and the power control unit Ⓒ are connected with a SAFERA RobustLink connection, which is designed for applications requiring extra safety.



2.4 Control Panel

❶ Child proof lock button
❷ OK button
❸ Indicator light for child proof lock
❹ Indicator light for normal activity
❺ Warning light for cooktop hazard
❻ Warning light for cooktop fire (optional)
❼ Warning light for water leakage
❽ Adjustment mode button
❾ Indicator light for service need



3. STOVE GUARD DESCRIPTION

SAFERA Stove Guard observes the temperature changes and the use of the cooker. The Stove Guard automatically gives an alarm and switches off the cooker and the oven in a hazardous situation based on temperature changes and also if

- the cooker is left on for over 3 hours without anyone using it,
- the cooker has been on for over 5 hours, or
- the oven has been on for over 12 hours without anyone using it.

3.1 Setting the Alarm Limit

To ensure safe and reliable operation, you need to set the alarm limit to match the location of the cooker in the kitchen. The alarm limit may also be adjusted in case of frequent false alarms. See Installation manual for further information.

⚠ WARNING

The Stove Guard is controlling the oven only if the oven is connected to the power control unit Ⓒ.

The cooker's hot-hob indicators do not work after the Stove Guard has switched off the cooker. The hobs may still be hot.

⚐ ATTENTION

The Stove Guard is designed to avoid raising unnecessary alarms. This means that it allows the temperature to rise quite high during cooking without raising an alarm. It does not sound an alarm until it looks like the situation may cause danger to the surroundings.

2.5 The Child Proof Lock

It is not possible to use the cooker or the oven, when the indicator light for child proof lock ❸ is on. You can switch the lock on or off by pressing the child lock button ❶.

2.5.1 Automatic Child Proof Lock

If the automatic child proof lock is in use, it will switch on automatically either

- 10 minutes after using the cooker or
- an hour after using the oven.

By default, automatic child proof lock is disabled. You can enable the automatic child proof lock by pressing and holding the child lock button ❶ for 5 seconds until you hear two high beeps (••). This way you can also disable the automatic child proof lock (one low signal).

2.5.2 If the child proof lock has prevented cooker use

If the indicator light for child proof lock ❸ blinks, someone has tried to use the cooker or the oven while the child proof lock was on. As a result, the cooker power was switched off. First turn all the hob switches in the zero position. After that, you can return the power by pressing the child proof lock button ❶.

3.2 Dangerously Hot Surroundings

Warning for dangerously hot cooker or for leaving the cooker or the oven on for too long. An alarm is sounded, the indicator light for cooktop hazard ❺ is on and the Stove Guard switches off the cooker and the oven in 15 seconds. When you hear the alarm:

1. Check the situation calmly. If there is no danger, you can prevent the cooker power switch off by pressing the OK button ❷ during the alarm and continue with cooking.

2. If you do not press the OK button during the alarm, the Stove Guard will switch off the cooker and the oven: after swith off a repetitive signal is sounded and the warning light ❺ is lit.

3. When there is no more danger, you can return the power to the cooker and oven by pressing the OK button ❷. First, turn the hob switches to the zero position.

4. Ensure that the hazardous situation will not recur.

⚐ ATTENTION

After pressing OK button during the alarm, the Stove Guard enters a mode for 45 minutes in which the same situation does not cause another alarm so easily.

HINT

If the case of frequent false alarms, you can raise the alarm limit, see 3.1.

3.3 Water Leakage Detector

SAFERA Stove Guard can be equipped with max. four water leakage sensors. When the sensors get wet for example because water drips on them, the detector will sound an alarm with far-spaced signals and warning light for water leakage ❼ is blinking.

When you hear the water leakage alarm:

1. Acknowledge the alarm by pressing the OK button ❷.

2. Before continuing, make sure the power supply for the cooker is turned off.

3. Find out what caused the alarm and stop the water leakage.

4. Dry and clean the sensor Ⓕ.

HINT

If the sensor is left wet, the appliance will give another alarm in 8 hours after signing off the previous one.

4. MAINTENANCE

To ensure continued safe and reliable operation, please follow the instructions in this chapter.

When the appliance is in working order and in normal mode, the indicator light for normal activity ❹ blinks every 5 seconds.

⚐ ATTENTION

Indicator light for service need ❾ is lit, the appliance is faulty. See section Troubleshooting.

4.1 Regular maintenance

Wipe the central unit Ⓐ with a cloth moistened with water or a mild detergent, such as washing up liquid, once a month. Avoid pressing the appliance buttons and sensors.

Do the installation check-list according to installation manual every three months.

⚐ ATTENTION

Do not use coarse or abrasive materials to clean the central unit Ⓐ or the control panel Ⓑ.

5. TROUBLESHOOTING

Please contact your vendor or SAFERA support if you cannot solve your problem with these instructions.

If the indicator light for service need ❾ is constantly lit, press the OK button ❷ and you can find out the problem type by the indicator lights:

	The connection to the power control unit Ⓒ is too weak – there is a problem with the power control unit or the radio connection. Disconnect and reconnect the cooker power from mains electricity supply to restart the appliance.
	Problem with the central unit Ⓐ sensors. Please contact SAFERA product support.
	The extinguisher unit Ⓔ is empty or its connection is faulty. Please contact your vendor or SAFERA product support.

Problem	Remedy
Cooker cannot be switched on	Check whether the child proof lock is active. The lock stops the use of the cooker. For instructions, see chapter 3.2.
The appliance repeatedly gives false alarms about hazardous cooker situations (the warning light for cooktop hazard ❺ is on).	Test the working order according to Installation manual. If the appliance is in working order, but the false alarms recur, you may adjust the alarm limit of the appliance. See Installation manual.
The appliance repeatedly gives false alarms about hazardous cooker situations, especially when the oven is in use.	There may have been a mistake in the set up of the appliance. See Installation manual.
The indicator light for normal activity ❹ does not blink every five seconds.	There may be a problem with the power supply. Ensure that the power supply Ⓓ is connected correctly to the wall socket and that the socket has power. If the problem is not solved, remove both the extractor hood and the safety appliances from the electrical network and contact SAFERA product support.
The appliance repeatedly gives out water leakage alarms.	For instructions, see chapter 3.4. If the alarms recur, take off the fuses for the cooker and the oven. Check that the leakage sensors are correctly connected. Put back the fuses.
The installation or the set up does not succeed.	Power control unit Ⓒ may be falsely connected. Ask an electrician to check the connections. If the connections are made correctly, the power control unit Ⓒ may have a fault.

6. SPECIFICATIONS

Central Unit	
Power supply	230 V ~ 1 N, 47–60 Hz Output voltage of the power source 5 V 1 A
Power consumption	1 W
Wireless connection	SAFERA RobustLink 2,4 GHz. Range 10–100 m, depending on the building structure
Pollution degree	2

Power Control Unit	
Compatibility	Most electric cookers and hobs used in private homes. See specific compatibility on the label of the power control unit Ⓒ**.**
Power supply	230 V ~ 3 N, 50 Hz or 230 V ~ 1 N, 50 Hz
Power consumption	2 W
Control type	According to IEC/EN 60730 - 1 : Type 1.B
Pollution degree	2
Impulse voltage rating	4 kV
Operational ambient temperature	+5 … +40 °C
Ball pressure test rating	100 °C
PTI of insulation materials	175...400
Designed number of automatic actuations	6000
IP class	See power control unit

7. WARRANTY

The appliance comes with a 24 month warranty as regulated in the general warranty terms of SAFERA.